Thurston County

Youth & Tobacco Data Summary 12th Grade

Year	20	n	Λ
rear	۷.	N)	u

12th Grade Students Surveyed n= 1,420 100.0 % 100.0 % 100.0 %			10di 2000	County %	State %
Female	12th Grade S	Students Surveyed	n= 1,420	100.0 %	100.0 %
Male 49.3 % 50.5 % Race/Ethnicity White 22.3 % 21.7 % White 77.7 % 78.3 % County %+/-Margin of Error Past 30 days, youth who have smoked cigarettes at least once Female n= 705 29.4 %+/- 3.4 29.3 %+/- 2.6 3.2 Past 30 days, youth who have smoked cigars at least once Female 28.7 %+/- 2.1 6.5 %+/- 2.0 Past 30 days, youth who have smoked cigars at least once 8.7 %+/- 2.1 6.5 %+/- 1.2 2.0 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n= 705 8.7 %+/- 1.8 13.1 %+/- 1.4 Past 30 days, youth who have smoked tobacco in a pipe at least once 2.8 %+/- 1.2 2.4 %+/- 0.9 Female n= 702 0.7 %+/- 0.6 0.9 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 700 6.1 %+/- 1.8 5.6 %+/- 1.0 Male n= 681 3. %+/- 2.2	Gender				
Students of Color Students of Color White	Female			50.7 %	49.5 %
Students of Color	Male			49.3 %	50.5 %
White 77.7 % 78.3 % County %+/- Margin of Error State %+/- Margin of Error Past 30 days, youth who have smoked cigarettes at least once Female n= 705 29.4 %+/- 3.4 29.3 %+/- 3.2 Male n= 682 28.9 %+/- 3.4 26.1 %+/- 2.0 Past 30 days, youth who have smoked cigars at least once Female n= 705 8.7 %+/- 2.1 6.5 %+/- 1.7 Male n= 680 20.9 %+/- 3.1 19.4 %+/- 2.3 Total n= 1385 14.7 %+/- 1.8 13.1 %+/- 1.4 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n= 702 0.7 %+/- 0.6 0.9 %+/- 0.5 Male n= 681 2.8 %+/- 1.2 2.4 %+/- 0.9 Total n= 1383 1.8 %+/- 0.7 1.7 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 700 6.1 %+/- 1.8 5.6 %+/- 1.6 Male n= 680 8.1 %+/- 2.0 7.2 %+/- 1.3 Total n= 1380 7.	Race/Ethnici	ty			
County %+/- Margin of Error	Students of	Color		22.3 %	21.7 %
Margin of Error Margin of Error Margin of Error	White			77.7 %	78.3 %
Past 30 days, youth who have smoked cigarettes at least once Female n = 705 29.4 %+/- 3.4 29.3 %+/- 3.2 Male				County %+/-	State %+/-
Past 30 days, youth who have smoked cigarettes at least once Female n = 705 29.4 %+/- 3.4 29.3 %+/- 2.6 Male n = 682 28.9 %+/- 3.4 26.1 %+/- 2.6 Total n = 1387 29.3 %+/- 2.4 27.6 %+/- 2.0 Past 30 days, youth who have smoked cigars at least once Female n = 705 8.7 %+/- 2.1 6.5 %+/- 1.7 Male n = 680 20.9 %+/- 3.1 19.4 %+/- 2.3 Total n = 1385 14.7 %+/- 1.8 13.1 %+/- 1.4 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n = 702 0.7 %+/- 0.6 0.9 %+/- 0.5 Male n = 681 2.8 %+/- 1.2 2.4 %+/- 0.9 Total n = 1383 1.8 %+/- 0.7 1.7 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n = 700 6.1 %+/- 1.8 5.6 %+/- 1.0 Male n = 680 8.1 %+/- 2.0 7.2 %+/- 1.3 Total n = 1380 7.3 %+/- 1.4 6.5 %+/- 1.0 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n = 689 2.2 %+/- 1.1 1.3 %+/- 1.0 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n = 689 2.2 %+/- 1.1 1.3 %+/- 1.0 Male n = 672 14.9 %+/- 2.7 16.3 %+/- 2.3 Total n = 1361 8.4 %+/- 1.5 8.8 %+/- 3.2 Past 30 days, youth who have used any tobacco product at least once Female n = 687 31.6 %+/- 3.5 31.8 %+/- 3.2 Male n = 675 39.6 %+/- 3.5 31.8 %+/- 3.2				Margin	Margin
## least once Female				_	_
Female n = 705 29.4 %+/- 3.4 29.3 %+/- 3.2 3.2 Male n = 682 28.9 %+/- 3.4 26.1 %+/- 2.6 Total n = 1387 29.3 %+/- 2.4 27.6 %+/- 2.0 Past 30 days, youth who have smoked cigars at least once Female n = 705 8.7 %+/- 2.1 6.5 %+/- 1.7 Male n = 680 20.9 %+/- 3.1 19.4 %+/- 2.3 Total n = 1385 14.7 %+/- 1.8 13.1 %+/- 1.4 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n = 702 0.7 %+/- 0.6 0.9 %+/- 0.5 Male n = 681 2.8 %+/- 1.2 2.4 %+/- 0.9 Total n = 1383 1.8 %+/- 0.7 1.7 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n = 700 6.1 %+/- 1.8 5.6 %+/- 1.6 Male n = 680 8.1 %+/- 2.0 7.2 %+/- 1.3 Total n = 1380 7.3 %+/- 1.4 6.5 %+/- 1.0 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least			ked cigarettes		
Male n= 682 28.9 %+/- 3.4 26.1 %+/- 2.6 Total n= 1387 29.3 %+/- 2.4 27.6 %+/- 2.0 Past 30 days, youth who have smoked cigars at least once Female n= 705 8.7 %+/- 2.1 6.5 %+/- 1.7 Male n= 680 20.9 %+/- 3.1 19.4 %+/- 2.3 Total n= 1385 14.7 %+/- 1.8 13.1 %+/- 1.4 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n= 702 0.7 %+/- 0.6 0.9 %+/- 0.5 Male n= 681 2.8 %+/- 1.2 2.4 %+/- 0.9 Total n= 1383 1.8 %+/- 0.7 1.7 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 700 6.1 %+/- 1.8 5.6 %+/- 1.6 Male n= 680 8.1 %+/- 2.0 7.2 %+/- 1.3 Total n= 1380 7.3 %+/- 1.4 6.5 %+/- 1.0 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 689 2.2 %+/- 1.1 1.3 %+/- 2.3 Total n= 1361 8.4 %+/- 1				29.4 %+/- 3.4	29.3 %+/- 3.2
Total n= 1387 29.3 %+/- 2.4 27.6 %+/- 2.0 Past 30 days, youth who have smoked cigars at least once Female n= 705 8.7 %+/- 2.1 6.5 %+/- 1.7 Male n= 680 20.9 %+/- 3.1 19.4 %+/- 2.3 19.4 %+/- 2.3 Total n= 1385 14.7 %+/- 1.8 13.1 %+/- 1.4 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n= 702 0.7 %+/- 0.6 0.9 %+/- 0.5 Male n= 681 2.8 %+/- 1.2 2.4 %+/- 0.9 Total n= 1383 1.8 %+/- 0.7 1.7 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 680 8.1 %+/- 2.0 7.2 %+/- 1.3 Total n= 1380 7.3 %+/- 1.4 6.5 %+/- 1.0 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 689 2.2 %+/- 1.1 1.3 %+/- 2.3 Total n= 1361 8.4 %+/- 1.5 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= 687 31.6 %+/- 3.5 31.8 %+/- 3.5 31.8 %+/- 3.5					
Female n = 705 8.7 %+/- 2.1 6.5 %+/- 1.7 Male n = 680 20.9 %+/- 3.1 19.4 %+/- 2.3 Total n = 1385 14.7 %+/- 1.8 13.1 %+/- 1.4 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n = 702 0.7 %+/- 0.6 0.9 %+/- 0.5 Male n = 681 2.8 %+/- 1.2 2.4 %+/- 0.9 Total n = 1383 1.8 %+/- 0.7 1.7 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n = 700 6.1 %+/- 1.8 5.6 %+/- 1.6 Male n = 680 8.1 %+/- 2.0 7.2 %+/- 1.3 Total n = 1380 7.3 %+/- 1.4 6.5 %+/- 1.0 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n = 689 2.2 %+/- 1.1 1.3 %+/- 1.0 Male n = 672 14.9 %+/- 2.7 16.3 %+/- 2.3 Total n = 1361 8.4 %+/- 1.5 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once <t< td=""><td></td><td></td><td></td><td></td><td></td></t<>					
Female n = 705 8.7 %+/- 2.1 6.5 %+/- 1.7 Male n = 680 20.9 %+/- 3.1 19.4 %+/- 2.3 Total n = 1385 14.7 %+/- 1.8 13.1 %+/- 1.4 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n = 702 0.7 %+/- 0.6 0.9 %+/- 0.5 Male n = 681 2.8 %+/- 1.2 2.4 %+/- 0.9 Total n = 1383 1.8 %+/- 0.7 1.7 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n = 700 6.1 %+/- 1.8 5.6 %+/- 1.6 Male n = 680 8.1 %+/- 2.0 7.2 %+/- 1.3 Total n = 1380 7.3 %+/- 1.4 6.5 %+/- 1.0 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n = 689 2.2 %+/- 1.1 1.3 %+/- 1.0 Male n = 672 14.9 %+/- 2.7 16.3 %+/- 2.3 Total n = 1361 8.4 %+/- 1.5 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once <t< td=""><td>Past 30 days</td><td>. vouth who have smol</td><td>ked cigars at least once</td><td></td><td></td></t<>	Past 30 days	. vouth who have smol	ked cigars at least once		
Male n= 680 20.9 %+/- 3.1 19.4 %+/- 2.3 Total n= 1385 14.7 %+/- 1.8 13.1 %+/- 1.4 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n= 702 0.7 %+/- 0.6 0.9 %+/- 0.5 Male n= 681 2.8 %+/- 1.2 2.4 %+/- 0.9 Total n= 1383 1.8 %+/- 0.7 1.7 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 700 6.1 %+/- 1.8 5.6 %+/- 1.6 Male n= 680 8.1 %+/- 2.0 7.2 %+/- 1.3 Total n= 1380 7.3 %+/- 1.4 6.5 %+/- 1.0 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 689 2.2 %+/- 1.1 1.3 %+/- 1.0 Male n= 672 14.9 %+/- 2.7 16.3 %+/- 2.3 Total n= 1361 8.4 %+/- 1.5 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= 687 31.6 %+/- 3.5 31.8 %+/- 2.2	•	•	nou olgare at louet office	87%+/-21	6.5 %+/- 1.7
Total n= 1385 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n= 702 Male n= 681 Total n= 1383 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 700 Male n= 680 Total n= 1380 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 680 Total n= 1380 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 689 Male n= 672 Total n= 1361 Past 30 days, youth who have used any tobacco product at least once Female n= 687 Male n= 675 Nale n= 687 Nale n= 675 Nale n= 1361 Nale n= 675 Nale n= 1361 Nale n= 675 Nale n= 675 Nale n= 1361 Nale n= 675 Nale n= 675 Nale n= 1361 Nale n= 675					
at least once Female n= 702 0.7 %+/- 0.6 0.9 %+/- 0.5 Male n= 681 2.8 %+/- 1.2 2.4 %+/- 0.9 Total n= 1383 1.8 %+/- 0.7 1.7 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 700 6.1 %+/- 1.8 5.6 %+/- 1.6 Male n= 680 8.1 %+/- 2.0 7.2 %+/- 1.3 Total n= 1380 7.3 %+/- 1.4 6.5 %+/- 1.0 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 689 2.2 %+/- 1.1 1.3 %+/- 1.0 Male n= 672 14.9 %+/- 2.7 16.3 %+/- 2.3 Total n= 1361 8.4 %+/- 1.5 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= 687 31.6 %+/- 3.5 31.8 %+/- 3.2 Male n= 675 39.6 %+/- 3.7 39.3 %+/- 2.9					
Female Male n= 681 0.7 %+/- 0.6 0.9 %+/- 0.5 Male n= 681 2.8 %+/- 1.2 2.4 %+/- 0.9 Total n= 1383 1.8 %+/- 0.7 1.7 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 700 6.1 %+/- 1.8 5.6 %+/- 1.6 Male n= 680 8.1 %+/- 2.0 7.2 %+/- 1.3 Total n= 1380 7.3 %+/- 1.4 6.5 %+/- 1.0 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 689 2.2 %+/- 1.1 1.3 %+/- 1.0 Male n= 672 14.9 %+/- 2.7 16.3 %+/- 2.3 Total n= 1361 8.4 %+/- 1.5 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= 687 31.6 %+/- 3.5 31.8 %+/- 3.2 Male n= 675 39.6 %+/- 3.7 39.3 %+/- 2.9	-		ked tobacco in a pipe		
Male n= 681 2.8 %+/- 1.2 2.4 %+/- 0.9 Total n= 1383 1.8 %+/- 0.7 1.7 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 700 6.1 %+/- 1.8 5.6 %+/- 1.6 Male n= 680 8.1 %+/- 2.0 7.2 %+/- 1.3 Total n= 1380 7.3 %+/- 1.4 6.5 %+/- 1.0 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 689 2.2 %+/- 1.1 1.3 %+/- 1.0 Male n= 672 14.9 %+/- 2.7 16.3 %+/- 2.3 Total n= 1361 8.4 %+/- 1.5 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= 687 31.6 %+/- 3.5 31.8 %+/- 3.2 Male n= 675 39.6 %+/- 3.7 39.3 %+/- 2.9	at least once	9			
Total 1.8 %+/- 0.7 1.7 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 700 6.1 %+/- 1.8 5.6 %+/- 1.6 Male n= 680 8.1 %+/- 2.0 7.2 %+/- 1.3 Total n= 1380 7.3 %+/- 1.4 6.5 %+/- 1.0 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 689 2.2 %+/- 1.1 1.3 %+/- 1.0 Male n= 672 14.9 %+/- 2.7 16.3 %+/- 2.3 Total n= 1361 8.4 %+/- 1.5 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= 687 31.6 %+/- 3.5 31.8 %+/- 3.2 Male n= 675 39.6 %+/- 3.7 39.3 %+/- 2.9	Female	n= 702		0.7 %+/- 0.6	0.9 %+/- 0.5
Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 700 6.1 %+/- 1.8 5.6 %+/- 1.6 Male n= 680 8.1 %+/- 2.0 7.2 %+/- 1.3 Total n= 1380 7.3 %+/- 1.4 6.5 %+/- 1.0 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 689 2.2 %+/- 1.1 1.3 %+/- 1.0 Male n= 672 14.9 %+/- 2.7 16.3 %+/- 2.3 Total n= 1361 8.4 %+/- 1.5 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= 687 31.6 %+/- 3.5 31.8 %+/- 3.2 Male n= 675 39.6 %+/- 3.7 39.3 %+/- 2.9	Male	n= 681		2.8 %+/- 1.2	2.4 %+/- 0.9
at least once Female n= 700 6.1 %+/- 1.8 5.6 %+/- 1.6 Male n= 680 8.1 %+/- 2.0 7.2 %+/- 1.3 Total n= 1380 7.3 %+/- 1.4 6.5 %+/- 1.0 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once 2.2 %+/- 1.1 1.3 %+/- 1.0 Female n= 689 2.2 %+/- 1.1 1.3 %+/- 1.0 Male n= 672 14.9 %+/- 2.7 16.3 %+/- 2.3 Total n= 1361 8.4 %+/- 1.5 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once 31.6 %+/- 3.5 31.8 %+/- 3.2 Female n= 687 31.6 %+/- 3.5 31.8 %+/- 3.2 Male n= 675 39.6 %+/- 3.7 39.3 %+/- 2.9	Total	n= 1383		1.8 %+/- 0.7	1.7 %+/- 0.5
Female n= 700 6.1 %+/- 1.8 5.6 %+/- 1.6 Male n= 680 8.1 %+/- 2.0 7.2 %+/- 1.3 Total n= 1380 7.3 %+/- 1.4 6.5 %+/- 1.0 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 689 2.2 %+/- 1.1 1.3 %+/- 1.0 Male n= 672 14.9 %+/- 2.7 16.3 %+/- 2.3 Total n= 1361 8.4 %+/- 1.5 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= 687 31.6 %+/- 3.5 31.8 %+/- 3.2 Male n= 675 39.6 %+/- 3.7 39.3 %+/- 2.9	Past 30 days	, youth who have smol	ked bidis (flavored cigarettes)		
Male n= 680 8.1 %+/- 2.0 7.2 %+/- 1.3 Total n= 1380 7.3 %+/- 1.4 6.5 %+/- 1.0 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 689 2.2 %+/- 1.1 1.3 %+/- 1.0 Male n= 672 14.9 %+/- 2.7 16.3 %+/- 2.3 Total n= 1361 8.4 %+/- 1.5 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= 687 31.6 %+/- 3.5 31.8 %+/- 3.2 Male n= 675 39.6 %+/- 3.7 39.3 %+/- 2.9	at least once	9			
Total n= 1380 7.3 %+/- 1.4 6.5 %+/- 1.0 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 689 2.2 %+/- 1.1 1.3 %+/- 1.0 Male n= 672 14.9 %+/- 2.7 16.3 %+/- 2.3 Total n= 1361 8.4 %+/- 1.5 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= 687 31.6 %+/- 3.5 31.8 %+/- 3.2 Male n= 675 39.6 %+/- 3.7 39.3 %+/- 2.9	Female	n= 700		6.1 %+/- 1.8	5.6 %+/- 1.6
Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 689 2.2 %+/- 1.1 1.3 %+/- 1.0 Male n= 672 14.9 %+/- 2.7 16.3 %+/- 2.3 Total n= 1361 8.4 %+/- 1.5 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= 687 31.6 %+/- 3.5 31.8 %+/- 3.2 Male n= 675 39.6 %+/- 3.7 39.3 %+/- 2.9	Male	n= 680		8.1 %+/- 2.0	7.2 %+/- 1.3
(chewing tobacco, snuff or dip) at least once Female n= 689 2.2 %+/- 1.1 1.3 %+/- 1.0 Male n= 672 14.9 %+/- 2.7 16.3 %+/- 2.3 Total n= 1361 8.4 %+/- 1.5 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= 687 31.6 %+/- 3.5 31.8 %+/- 3.2 Male n= 675 39.6 %+/- 3.7 39.3 %+/- 2.9	Total	n= 1380		7.3 %+/- 1.4	6.5 %+/- 1.0
(chewing tobacco, snuff or dip) at least once Female n= 689 2.2 %+/- 1.1 1.3 %+/- 1.0 Male n= 672 14.9 %+/- 2.7 16.3 %+/- 2.3 Total n= 1361 8.4 %+/- 1.5 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= 687 31.6 %+/- 3.5 31.8 %+/- 3.2 Male n= 675 39.6 %+/- 3.7 39.3 %+/- 2.9	Past 30 days	, youth who have used	l smokeless tobacco		
Female n= 689 2.2 %+/- 1.1 1.3 %+/- 1.0 Male n= 672 14.9 %+/- 2.7 16.3 %+/- 2.3 Total n= 1361 8.4 %+/- 1.5 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= 687 31.6 %+/- 3.5 31.8 %+/- 3.2 Male n= 675 39.6 %+/- 3.7 39.3 %+/- 2.9	•				
Male Total n= 672 n= 1361 14.9 %+/- 2.7 16.3 %+/- 2.3 Past 30 days, youth who have used any tobacco product at least once 8.4 %+/- 1.5 8.8 %+/- 1.3 Female n= 687 n= 687 n= 675 31.6 %+/- 3.5 31.8 %+/- 3.2 39.3 %+/- 2.9				2.2 %+/- 1.1	1.3 %+/- 1.0
Total n= 1361 8.4 %+/- 1.5 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= 687 31.6 %+/- 3.5 31.8 %+/- 3.2 Male n= 675 39.6 %+/- 3.7 39.3 %+/- 2.9					
at least once Female n= 687 31.6 %+/- 3.5 31.8 %+/- 3.2 Male n= 675 39.6 %+/- 3.7 39.3 %+/- 2.9	Total				
Female n= 687 31.6 %+/- 3.5 31.8 %+/- 3.2 Male n= 675 39.6 %+/- 3.7 39.3 %+/- 2.9	Past 30 days	, youth who have used	any tobacco product		
Male n= 675 39.6 %+/- 3.7 39.3 %+/- 2.9	at least onc	е			
	Female	n= 687		31.6 %+/- 3.5	31.8 %+/- 3.2
Total n= 1362 35.9 %+/- 2.5 35.6 %+/- 2.1	Male	n= 675		39.6 %+/- 3.7	39.3 %+/- 2.9
	Total	n= 1362		35.9 %+/- 2.5	35.6 %+/- 2.1

Source: Washington State Department of Health Tobacco Prevention and Control

Assessment and Evaluation

n = number of survey respondents for county.

* = Rate not calculated because number of responses was less than 15.

Thurston County

Youth & Tobacco Data Summary 12th Grade Year 2000

Year 2000		
	County %+/- Margin of Error	State %+/- Margin of Error
About how many cigarettes have you smoked in your entire life?	n= 1393	
None	37.3 %+/- 2.5	40.5 %+/- 2.1
1/2 pack or less	25.1 %+/- 2.3	23.9 %+/- 1.8
1 - 4 packs	10.6 %+/- 1.6	11.6 %+/- 1.4
5 or more packs	27.1 %+/- 2.3	24.0 %+/- 1.9
Do you want to stop using tobacco right now?		
(among current tobacco users)	n= 432	
Yes	66.7 %+/- 4.4	63.6 %+/- 4.2
Have you ever participated in a program to help you quit		
using tobacco? (among current tobacco users)	n= 606	
Yes	5.8 %+/- 1.9	4.2 %+/- 1.6
During past 12 months, did you ever try to quit using tobacco?		
(cigarettes, cigars, or chew/dip)(among current tobacco users)	n= 343	
Yes	61.2 %+/- 5.2	63.9 %+/- 4.8
Do you think you will smoke a cigarette at any time during		
the next year?	n= 1412	
Definitely no	51.2 %+/- 2.6	51.8 %+/- 2.2
If one of your best friends offered you a cigarette, would you		
smoke it?	n= 1410	
Definitely no	55.8 %+/- 2.6	56.7 %+/- 2.2
Susceptibility Index (combination of the previous two questions,	4440	
either of which receives any answer other than 'Definitely no')	n= 1412	E0.4.0/ . / . 0.0
Susceptible	50.7 %+/- 2.6	50.1 %+/- 2.2
If one of your best friends offered you a cigarette, would you	005	
smoke it? (from among youth who did not smoke in last 30 days)	n= 995	70.0.0/ . / . 0.0
Definitely no	77.2 %+/- 2.6	76.9 %+/- 2.0
Do you think the smoke from other people's cigarettes	n= 1440	
(second-hand smoke) is harmful to you? Definitely yes or Probably yes	n= 1410 94.0 %+/- 1.2	92.9 %+/- 1.4
Delitifiery yes of Frodably yes	34.U 70T/- I.Z	92.9 70+1- 1.4
Do you think it is safe to smoke for only a year or two,	4440	
as long as you quit after that?	n= 1413	0406/ / 6 :
Definitely no	65.1 %+/- 2.5	64.3 %+/- 2.1

Thurston County

Youth & Tobacco Data Summary 12th Grade Year 2000

	County %+/- Margin of Error	State %+/- Margin of Error
Would you ever use or wear something that has a tobacco company name or picture on it such as a lighter, t-shirt, hat, or sunglasses? Definitely no	n= 1412 44.1 %+/- 2.6	40.4 %+/- 2.1
During last 12 months, did you buy or receive anything that has a tobacco name or picture on it? Yes	n= 1411 21.8 %+/- 2.2	20.0 %+/- 1.7
During past 7 days, on how many days were you in the same room with someone who was smoking cigarettes? 3 or more days	n= 585 36.4 %+/- 3.9	34.5 %+/- 3.3
During past 7 days, on how many days did you ride in a car with someone who was smoking cigarettes? 3 or more days	n= 586 29.2 %+/- 3.7	25.2 %+/- 3.1
During this school year, did you practice ways to say 'NO' to tobacco in any of your classes (for example, by role playing)? Yes	n= 1410 14.2 %+/- 1.8	14.8 %+/- 1.5
During past 30 days, have you seen or heard commercials on TV, the Internet, or on the radio about the dangers of cigarette smoking? More than once a week	n= 1410 77.3 %+/- 2.2	73.2 %+/- 2.0
How wrong would most adults in your neighborhood think it was for kids your age to smoke cigarettes? Very wrong	n= 1398 21.9 %+/- 2.2	25.9 %+/- 2.0
If you wanted to get some tobacco, how easy would it be for you to get some? Very hard or Sort of hard	n= 1402 9.4 %+/- 1.5	9.6 %+/- 1.3
Has either of your parents (or guardians) discussed the dangers of tobacco use with you? Yes	n= 1410 65.7 %+/- 2.5	63.8 %+/- 2.1
Does anyone who lives with you now smoke cigarettes? Yes	n= 584 35.8 %+/- 3.9	36.4 %+/- 3.4